

TABELLA APPLICATIVA LIQUIDO MULTISEAL - COD. S000959

| Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road | Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road |
|-----------------------|---------------------|---------------------|-----------------------|---------------------|---------------------|
| <u>Cerchi 4" :</u> | | | <u>Cerchi 6" :</u> | | |
| 2.80-4 | - | 236 | 8.00-6 | - | 710 |
| 4.10-4 | - | 236 | 12.00x6.00-6 | - | 710 |
| 9/3.50-4 | - | 236 | 12.00-8.00-6 | - | 888 |
| | | | 12.00x11.00-6 | - | 1.066 |
| <u>Cerchi 5" :</u> | | | 13.00x6.50-6 | - | 710 |
| 3.40-5 | - | 236 | 14.00x6.00-6 | - | 710 |
| 410/350-5 | - | 296 | 15.00x6.00-6 | - | 888 |
| 10.00/4.5-5 | - | 296 | 16.00x4.50-6 | - | 710 |
| 10.50/5-5 | - | 296 | <u>Cerchi 7" :</u> | | |
| 11x3.50-5 | - | 296 | 4.50-7 | - | 533 |
| 11x4.00-5 | - | 296 | 480-7 | - | 533 |
| 11x4.50-5 | - | 296 | <u>Cerchi 8" :</u> | | |
| 11x6.00-5 | - | 533 | 4.00-8 | - | 533 |
| 11x7.00-5 | - | 710 | 4.30-8 | - | 533 |
| 11x7.50-5 | - | 710 | 4.80-8 | - | 533 |
| 13x5.00-5 | - | 710 | 5.70-8 | - | 710 |
| <u>Cerchi 6" :</u> | | | 6.00-8 | - | 710 |
| 4.00-6 | - | 355 | 16.50-8 | - | 710 |
| 4.10x3.50-6 | - | 355 | 16.00x6.50-8 | - | 710 |
| 5.30-6 | - | 710 | 16.00x7.50-8 | - | 710 |
| 6.90/6.00-6 | - | 710 | 16.50x6.50-8 | - | 710 |
| | | | 18.00x6.50-8 | - | 825 |



| Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road | Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road |
|-----------------------|---------------------|---------------------|-----------------------|---------------------|---------------------|
| <u>Cerchi 8" :</u> | | | <u>Cerchi 9" :</u> | | |
| 18.00x7.00-8 | - | 710 | 480/4.00-9 | - | 533 |
| 18.00x8.50-8 | - | 710 | 6.00-9 | - | 710 |
| 18.00x9.00-8 | - | 763 | 6.90-9 | - | 710 |
| 18.00/9.50-8 | - | 763 | 21x8-9 | - | 1066 |
| 18.50-8 | - | 710 | 22x12-9 | - | 1181 |
| 18.50x8.50-8 | - | 710 | 25x11-9 | - | 1306 |
| 20.00x7.00-8 | - | 710 | 25x12-9 | - | 1776 |
| 20.00x10.00-8 | - | 888 | 25x13-9 | - | 1536 |
| 20.00x11.00-8 | - | 1066 | <u>Cerchi 10" :</u> | | |
| 20.50x7.00-8 | - | 763 | 3.00-10 | - | 533 |
| | | | 3.50-10 | - | 533 |
| 20.50x10.00-8 | - | 1066 | 4.50-10 | - | 710 |
| 21.00x11.00-8 | - | 1066 | 6.50-10 | - | 1066 |
| 21.00x12.00-8 | - | 1181 | 7.50-10 | - | 1066 |
| 22.00x9.00-8 | - | 1066 | 9.00-10 | - | 1421 |
| 22.00/11.00-8 | | 1181 | 15.00-10 | - | 1421 |
| | | | 18x9.50-10 | - | 1066 |
| | | | 20.50-10 | - | 1954 |
| | | | 20.00x8-10 | - | 940 |



| Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road | Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road |
|-------------------------------------|---------------------|---------------------|-----------------------------------|---------------------|---------------------|
| <u>Cerchi 10 " :</u> 20.00x12-10 | - | 1066 | <u>Cerchi 12 " :</u> 155/80-12 | 236 | 710 |
| 20.50x8-10 | - | 940 | 3.00-12 | - | 533 |
| 20/10-10 | - | 1066 | 4.00-12 | - | 710 |
| 20/14-10 | - | 1181 | 4.50-12 | - | 888 |
| 20.50-10 | - | 1954 | 4.80-12 | - | 888 |
| 21x7-10 | - | 710 | 5.00-12 | - | 888 |
| 22/08-10 | - | 888 | 5.30x12 | - | 888 |
| 22x10-10 | - | 1066 | 5.70-12 | - | 1066 |
| 22x11-10 | - | 1066 | 6.00-12 | - | 1066 |
| 223x8-10 | - | 1066 | 7.00-12 | - | 1243 |
| 24x11-10 | - | 1066 | 7.50-12 | - | 1243 |
| <u>Cerchi 10.5 " :</u> 23-10.5 | - | 1421 | 8.30-12 | - | 1598 |
| <u>Cerchi 11 " :</u> 23x8-11 | - | 1066 | 10.00-12 | - | 1776 |
| 23.5x8-11 | - | 1066 | 23x8-12 | - | 1776 |
| 24x9-11 | - | 1066 | 23x9-12 | - | 1954 |
| | | | 23x10.5-12 | - | 2131 |
| | | | 24x12-12 | - | 2131 |
| | | | 26x12-12 | - | 2664 |
| | | | 27x10-12 | - | 2309 |



| Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road | Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road |
|-----------------------|---------------------|---------------------|-----------------------|---------------------|---------------------|
| <u>Cerchi 13 " :</u> | | | <u>Cerchi 14 " :</u> | | |
| A78-13 | 355 | 1066 | 11.00-14 | - | 2298 |
| B78-13 | 355 | 1066 | 13.00-14 | - | 2664 |
| C78-13 | 470 | 1066 | 25/8.50-14 | - | 1954 |
| <u>Cerchi 14 " :</u> | | | <u>Cerchi 15 " :</u> | | |
| B78-14 | 470 | 1066 | 4.00-15 | - | 888 |
| C78-14 | 470 | 1066 | 5.00-15 | - | 1066 |
| D78-14 | 470 | 1066 | 5.50-15 | - | 1243 |
| E78-14 | 533 | 1066 | 5.70-15 | - | 1243 |
| F78-14 | 533 | 1066 | 5.90-15 | - | 1243 |
| G78-14 | 595 | 1066 | 6.00-15 | - | 1421 |
| H78-14 | 595 | 1066 | 6.40-15 | - | 1421 |
| F70-14 | 595 | 1066 | 6.70-15 | - | 1421 |
| 6.00-14 | - | 1243 | 7.00-15 | - | 1598 |
| 7.00-14 | - | 1421 | 7.50-15 | 595 | 1598 |
| 7.50-14 | - | 1598 | 7.60-15 | - | 1598 |
| 8.00-14 | - | 1598 | 8.15-15 | - | 1776 |
| 8.50-14 | - | 1776 | 8.25-15 | - | 1776 |
| 9.00-14 | - | 1954 | LT225/75-15 | 470 | 1066 |
| 9.50-14 | - | 1954 | 9.00-15 | 648 | 1954 |



| Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road | Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road |
|-----------------------|---------------------|---------------------|-----------------------|---------------------|---------------------|
| <u>Cerchi 15 " :</u> | | | <u>Cerchi 15 " :</u> | | |
| 9.5L-15 | - | 2131 | 30x9.50-15 | 470 | 1421 |
| 9.50-15 | - | 2131 | 31.00x10.50-15 | 533 | 1421 |
| 10.00-15 | 710 | 2131 | 31.00x11.50-15 | 533 | 1421 |
| 11.00-15 | 947 | 2131 | 31x12.5-15 | - | 3374 |
| 12.00-15 | 710 | 2131 | 31x13.5-15 | - | 3730 |
| 12.50-15 | - | 2371 | 31x15.5-15 | - | 4085 |
| 14.50-15 | - | 3197 | 32x11.50-15 | 595 | 1880 |
| 25x7.5-15 | - | 1776 | 32x12-15 | - | 3374 |
| 25x10.5-15 | - | 2298 | 33.00x12.50-15 | 710 | 1421 |
| 25x12.5-15 | - | 2664 | 35.00x12.50-15 | 710 | 1421 |
| 27x8.5-15 | - | 1954 | 36x13.5-15 | - | 4262 |
| 27x9.5-15 | - | 2131 | 38x16-15 | - | 5328 |
| 27x10.5-15 | - | 2246 | 57.00x8.50-15 | 888 | 1421 |
| 28x9-15 | - | 2486 | | | |
| 28-13-15 | - | 2957 | | | |
| 29.00x9.50-15 | 470 | 1421 | | | |
| 29x10-15 | - | 1421 | | | |
| 29x12.5-15 | - | 3197 | | | |



| Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road | Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road |
|-----------------------|---------------------|---------------------|-----------------------|---------------------|---------------------|
| <u>Cerchi 16 ":</u> | | | <u>Cerchi 16 ":</u> | | |
| 4.00-16 | - | 1066 | 9.00-16 | - | 2131 |
| 4.50-16 | - | 1066 | 9.50-16 | - | 2298 |
| 5.00-16 | - | 1243 | 10.00-16 | - | 2298 |
| 5.50-16 | - | 1243 | 11.00-16 | - | 2664 |
| 6.00-16 | - | 1421 | 11.20-16 | - | 2664 |
| 6.50-16 | - | 1598 | 12.40-16 | - | 3030 |
| 7.00-16 | - | 1598 | 12.50-16 | - | 3030 |
| 7.20-16 | - | 1776 | 13.60-16 | - | 3030 |
| 7.50-16 | - | 1776 | <u>Cerchi 16.1 ":</u> | | |
| LT215/85R16 | 470 | 1421 | 13.50-16.1 | - | 3197 |
| LT225/85R16 | 470 | 1421 | 13.60-16.1 | - | 3197 |
| LT235/85R16 | 470 | 1421 | 18.40-16.1 | - | 4440 |
| LT255/85R16 | 470 | 1421 | 38x19-16.1 | - | 6164 |
| LT225/75R16 | 470 | 1421 | 38x20-16.1 | - | 6582 |
| LT245/75R16 | 470 | 1421 | | | |
| LT265/75R16 | 470 | 1421 | | | |
| 8.00-16 | - | 1954 | | | |
| 8.25-16 | 648 | 1776 | | | |
| 8.30-16 | - | 1954 | | | |



| Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road | Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road |
|------------------------|---------------------|---------------------|------------------------|---------------------|---------------------|
| <u>Cerchi 16.5 " :</u> | | | <u>Cerchi 18 " :</u> | | |
| 10.00-16.5 | - | 2507 | 4.00-18 | - | 1066 |
| 12.00-16.5 | - | 3030 | 6.00-18 | - | 1066 |
| 31.00x10.50-16.5 | 648 | 2546 | 7.00-18 | 710 | 1421 |
| 31x11.5-16.5 | - | 3197 | 7.50-18 | 648 | 2821 |
| 33.00x12.50-16.5 | 710 | 3080 | 10.00-18 | 940 | 2821 |
| 35x14.5-16.5 | - | 4440 | 10.50-18 | 940 | 2821 |
| <u>Cerchi 17 " :</u> | | | 11.00-18 | 940 | 2821 |
| 7.00-17 | 648 | 1306 | 12.50-18 | 1181 | 2821 |
| 7.50-17 | 710 | 1421 | 13.00-18 | 1421 | 2821 |
| 8.25-17 | 710 | 1421 | <u>Cerchi 19 " :</u> | | |
| <u>Cerchi 17.5 " :</u> | | | 4.00-19 | - | 1254 |
| 215/75-17.5 | 595 | 1181 | 6.00-19 | - | 1776 |
| 225/75-17.5 | 710 | 1880 | <u>Cerchi 19.5 " :</u> | | |
| 235/75-17.5 | 710 | 1880 | 7.00-19.5 | 940 | 2821 |
| 7.00-17.5 | 710 | 1880 | 8.00-19.5 | 940 | 2821 |
| 8.00-17.5 | 710 | 1880 | 9.00-19.5 | 940 | 2821 |
| 10.00-17.5 | 710 | 1880 | 9.50-19.5 | 940 | 2821 |
| 14.00-17.5 | - | 3552 | 15.00-19.5 | 1421 | 4283 |
| 36x16-17.5 | - | 4962 | 16.50-19.5 | 1598 | 4283 |



| Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road | Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road |
|------------------------|---------------------|---------------------|-----------------------|---------------------|---------------------|
| <u>Cerchi 19.5 " :</u> | | | <u>Cerchi 20 " :</u> | | |
| 18.00-19.5 | 1880 | 5224 | 11.50-20 | - | 4283 |
| 19.50-19.5 | 1880 | 5955 | 12.00-20 | 1421 | 4283 |
| 40x19-19.5 | - | 5955 | 12.50-20 | - | 4283 |
| 245/70-19.5 | 1201 | 1672 | 13.00-20 | - | 4283 |
| 265/70-19.5 | 1201 | 1672 | 14.00-20 | 1421 | 4283 |
| 285/70-19.5 | 1201 | 1724 | 38x14-20 | - | 4597 |
| 305/70-19.5 | 1201 | 1724 | 16.00-20 | - | 4806 |
| <u>Cerchi 20 " :</u> | | | 24.00-20 | - | 7104 |
| 7.00-20 | - | 2351 | 41x14-20 | - | 5120 |
| 7.50-20 | 888 | 2351 | 44x18-20 | - | 6895 |
| 8.00-20 | - | 2507 | 42x25-20 | - | 9193 |
| 8.25-20 | 888 | 2821 | 47x25-20 | - | 10240 |
| 9.00-20 | 1149 | 2821 | 48x25-20 | - | 10450 |
| 9.50-20 | - | 3761 | 48x26.5-20 | - | 11100 |
| 10.00-20 | 1421 | 4283 | 48x31-20 | - | 12960 |
| 10.30-20 | 1421 | 4283 | 44x41-20 | - | 15775 |
| 10.50-20 | 1421 | 4283 | | | |
| 11.00-20 | 1421 | 4283 | | | |
| 11.20-20 | - | 4283 | | | |



| Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road | Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road |
|------------------------|---------------------|---------------------|------------------------|---------------------|---------------------|
| <u>Cerchi 21 " :</u> | | | <u>Cerchi 22.5 " :</u> | | |
| 5.00-21 | - | 1567 | 12.00-22.5 | 1420 | 3320 |
| 6.00-21 | - | 1776 | 12.50-22.5 | 1420 | 3320 |
| 12.00-21 | - | 3760 | 13.00-22.5 | 1420 | 3320 |
| 16.00-21 | - | 4960 | 15.00-22.5 | 1660 | 3550 |
| 21.00-21 | - | 6580 | 15.50-22.5 | - | 5120 |
| 23.00-21 | - | 7100 | 16.00-22.5 | - | 5330 |
| 24.00-21 | - | 7420 | 16.50-22.5 | 1880 | 3760 |
| 27.25-21 | - | 8520 | 18.00-22.5 | 1985 | 4262 |
| <u>Cerchi 22 " :</u> | | | 255/80-22.5 | 1420 | 2820 |
| 7.50-22 | - | 2510 | 275/80-22.5 | 1420 | 2820 |
| 8.50-22 | - | 2820 | 295/80-22.5 | 1420 | 2820 |
| 10.00-22 | 1420 | 3320 | 315/80-22.5 | 1530 | 3080 |
| 11.00-22 | 1420 | 3320 | 245/75-22.5 | 1420 | 2820 |
| 12.00-22 | 1420 | 3550 | 265/75-22.5 | 1420 | 2820 |
| <u>Cerchi 22.5 " :</u> | | | 295/75-22.5 | 1420 | 2820 |
| 8.00-22.5 | 1180 | 2660 | 255/70-22.5 | 1420 | 2820 |
| 9.00-22.5 | 1180 | 3080 | 275/70-22.5 | 1420 | 2820 |
| 10.00-22.5 | 1420 | 3320 | 365/70-22.5 | 1710 | 3440 |
| 11.00-22.5 | 1420 | 3320 | 385/65-22.5 | 1710 | 3440 |
| 11.50-22.5 | - | 3550 | | | |



| Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road | Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road |
|---------------------------------------|---------------------|---------------------|--------------------------------------|---------------------|---------------------|
| <u>Cerchi 22.5 " :</u> 425/65-22.5 | 1880 | 3760 | <u>Cerchi 24 " :</u> 13.60-24 | - | 5330 |
| 445/65-22.5 | 1880 | 3760 | 14.00-24 | 1660 | 5920 |
| <u>Cerchi 23.5 " :</u> | | | 14.90-24 | - | 5920 |
| 23.00-23.5 | - | 7992 | 15.00-24 | - | 5920 |
| <u>Cerchi 24 " :</u> 7.20-24 | - | 2194 | 16.00-24 | 1880 | 5920 |
| 7.50-24 | - | 2664 | 16.50-24 | - | 5920 |
| 8.30-24 | - | 3020 | 16.90-24 | - | 6160 |
| 9.00-24 | - | 3197 | 17.50-24 | - | 6160 |
| 9.50-24 | - | 3340 | 18.00-24 | 2130 | 6380 |
| 10.00-24 | - | 4260 | 18.30-24 | - | 6580 |
| 11.00-24 | 1420 | 4260 | 18.40-24 | - | 6580 |
| 11.20-24 | - | 4260 | 19.40-24 | - | 6750 |
| 11.25-24 | - | 4260 | 19.50-24 | - | 6900 |
| 11.40-24 | - | 4730 | 21.00-24 | - | 7420 |
| 11.50-24 | - | 4730 | <u>Cerchi 24.5 " :</u> 11.00-24.5 | 1420 | 4260 |
| 12.00-24 | 1420 | 4730 | 12.00-24.5 | 1420 | 4260 |
| 12.40-24 | - | 5330 | 13.50-24.5 | 1660 | 4701 |
| 13.00-24 | 1536 | 5330 | 15-24.5 | 1805 | 5450 |



| Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road | Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road |
|-----------------------|---------------------|---------------------|-----------------------|---------------------|---------------------|
| <u>Cerchi 25 " :</u> | | | <u>Cerchi 25 " :</u> | | |
| 11.00-25 | - | 4080 | 66x44-25 | - | 14420 |
| 12.00-25 | - | 4440 | 67x34-25 | - | 14420 |
| 13.00-25 | - | 4800 | 660/34-25 | - | 15150 |
| 14.00-25 | - | 5150 | 670/34-25 | - | 15150 |
| 15.50-25 | - | 5690 | 445/80-25 | - | 15150 |
| 16.00-25 | - | 5850 | 445/95.00-25 | - | 15150 |
| 17.50-25 | - | 6370 | 525/80-25 | - | 15150 |
| 18.00-25 | - | 6740 | <u>Cerchi 26 " :</u> | | |
| 20.50-25 | - | 7630 | 12.40-26 | - | 4800 |
| 21.00-25 | - | 7814 | 13.60-26 | - | 5120 |
| 22.00-25 | - | 8150 | 14.90-26 | - | 5680 |
| 22x65-25 | - | 12430 | 16.90-26 | - | 6570 |
| 23/90-25 | - | 18070 | 18.00-26 | - | 6900 |
| 23.50-25 | - | 8670 | 18.40-26 | - | 7100 |
| 24.00-25 | - | 8880 | 23.10-26 | - | 8880 |
| 26.50-25 | - | 9720 | 24.00-26 | - | 9190 |
| 29.50-25 | - | 10830 | 28.00-26 | - | 10760 |
| 61x18-25 | - | 14210 | 54x31-26 | - | 14520 |
| 66x43-25 | - | 14210 | 67x34-26 | - | 18910 |
| | | | 66x43-26 | - | 24860 |



| Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road | Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road |
|-----------------------|---------------------|---------------------|-----------------------|---------------------|---------------------|
| <u>Cerchi 28 " :</u> | | | <u>Cerchi 30 " :</u> | | |
| 11.20-28 | - | 4600 | 4.00-30 | - | 1790 |
| 11.25-28 | - | 4600 | 6.00-30 | - | 2690 |
| 11.90-28 | - | 4910 | 7.20-30 | - | 3224 |
| 12.40-28 | - | 5120 | 9.50-30 | - | 4300 |
| 13.60-28 | - | 5640 | 14.90-30 | - | 6640 |
| 14.90-28 | - | 6220 | 16.90-30 | - | 7690 |
| 15.00-28 | - | 6430 | 17.00-30 | - | 7690 |
| 16.90-28 | - | 6950 | 18.40-30 | - | 8220 |
| 17.00-28 | - | 7160 | 21.00-30 | - | 9480 |
| 18.40-28 | - | 7690 | 23.10-30 | - | 10330 |
| 21.00-28 | - | 8740 | 67x34-30 | - | 20015 |
| <u>Cerchi 29 " :</u> | | | 480/70-30 | - | 19070 |
| 21.00-29 | - | 9060 | <u>Cerchi 32 " :</u> | | |
| 24.00-29 | - | 10320 | 8.30-32 | - | 3900 |
| 26.50-29 | - | 11460 | 9.50-32 | - | 4480 |
| 29.50-29 | - | 12640 | 12.40-32 | - | 5900 |
| 30.00-29 | - | 13060 | 16.90-32 | - | 8000 |
| 33.25-29 | - | 14330 | 24.50-32 | - | 11590 |
| | | | 30.00-32 | - | 14330 |



| Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road | Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road |
|-----------------------|---------------------|---------------------|-----------------------|---------------------|---------------------|
| <u>Cerchi 32 " :</u> | | | <u>Cerchi 35 " :</u> | | |
| 30.50-32 | - | 14540 | 21.00-35 | - | 10760 |
| 33.50-32 | - | 15910 | 24.00-35 | - | 12430 |
| 35.50-32 | - | 16820 | 29.50-35 | - | 15250 |
| 73x44-32 | - | 20790 | 33.25-35 | - | 17240 |
| <u>Cerchi 33 " :</u> | | | 37.25-35 | - | 19330 |
| 18.00-33 | - | 8880 | <u>Cerchi 36 " :</u> | | |
| 27.00-33 | - | 13160 | 9.50-36 | - | 4910 |
| 30.00-33 | - | 14630 | 11.20-36 | - | 5850 |
| 33.50-33 | - | 16300 | 12.40-36 | - | 6580 |
| 37.50-33 | - | 18280 | 13.60-36 | - | 7100 |
| 35x65-33 | - | 19850 | 13.90-36 | - | 7310 |
| <u>Cerchi 34 " :</u> | | | 14.90-36 | - | 7940 |
| 11.20-34 | - | 5640 | 16.90-36 | - | 8984 |
| 12.40-34 | - | 6220 | 18.00-36 | - | 9610 |
| 14.90-34 | - | 7420 | <u>Cerchi 38 " :</u> | | |
| 16.90-34 | - | 8460 | 11.20-38 | - | 6160 |
| 18.40-34 | - | 9190 | 12.40-38 | - | 6900 |
| 18.50-34 | - | 9400 | 13.60-38 | - | 7630 |
| 20.80-34 | - | 10450 | 14.90-38 | - | 8360 |
| 23.10-34 | - | 11490 | 15.50-38 | - | 8670 |



| Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road | Dimensione Pneumatico | Millilitri Stradale | Millilitri Off Road |
|----------------------------------|---------------------|---------------------|--------------------------------------|---------------------|---------------------|
| <u>Cerchi 38 " :</u> 16.90-38 | - | 9400 | <u>Cerchi 46 " :</u> 14.90-46 | - | 10240 |
| 18.40-38 | - | 10240 | 18.40-46 | - | 12540 |
| 20.80-38 | - | 11700 | 420/80-46 | - | 16600 |
| 710/70-38 | - | 18900 | <u>Cerchi 49 " :</u> 18.00-49 | - | 13160 |
| <u>Cerchi 39 " :</u> 33.50-39 | - | 19350 | 21.00-49 | - | 15100 |
| 37.50-39 | - | 21630 | 24.00-49 | - | 17340 |
| 40.50/75-39 | - | 26470 | 27.00-49 | - | 19530 |
| 43.50-39 | - | 25070 | <u>Cerchi 51 " :</u> 30.00-51 | - | 22570 |
| 40/65-39 | - | 22780 | 33.00-51 | - | 24870 |
| 41.25/70-39 | - | 25230 | 36.00-51 | - | 27160 |
| <u>Cerchi 42 " :</u> 9.50-42 | - | 6040 | 37.50-51 | - | 28200 |
| 12.40-42 | - | 7630 | 50/65-51 | - | 28420 |
| 18.40-42 | - | 11390 | <u>Cerchi 56.5 " :</u> 27.00-56.5 | - | 22570 |
| 18.90-42 | - | 11700 | 30.00-56.5 | - | 24860 |
| 20.80-42 | - | 12950 | <u>Cerchi 57 " :</u> 37.00-57 | - | 31240 |
| <u>Cerchi 43 " :</u> 24.00-43 | - | 15250 | 40.00-57 | - | 33850 |
| <u>Cerchi 45 " :</u> 45/65-45 | - | 25600 | 49.50-57 | - | 33850 |
| 65/45-45 | - | 33120 | | | |